SICE
AUTOMOTIVE EQUIPMENT

ELECTRO-MECHANICAL LIFT
PDC 40 EVO

TWO-POST ELECTROMECHANICAL LIFT

FOR A POWERFUL, RELIABLE, AND PRECISE LIFTING EXPERIENCE




4000*



*Also available in the **3.5 t.** version – **PDC 35 EVO**

STRUCTURAL CHARACTERISTICS

Asymmetric installation for better door-opening angle.



POSTS

Stable, strong bend posts with internal reinforcemen.

ARMS

- Low minimum height
- Universal lifting area: from short wheelbase to medium wheelbase, including vans
- Possibility of parallel parking of arms for an easier positioning of vehicles






LIFTING AND SYNCHRONIZATION

- 2 high-efficient electric motors (one for each column)
- Strong and precise mechanic lifting of the carriages through cold-rolled spindles
- Electronic synchronization
- Programmable maximum lifting height

PROTECTIONS

Rubbers door protection pads on columns and lifting arms

Encapsulated arm rotation locking system with 360-degree toothed engagement, ensuring stability and safety





SAFETY

- Safety automatic stop system of the lift in case of obstacles while lowering
- Load-bearing safety nut made of nylon for long-lasting durability
- CE safety stop before final descent: no foot guard bar required

SICE AUTOMOTIVE EQUIPMENT

ELECTRO-MECHANICAL LIFT
PDC 40 EVO

ACCESSORIES

OPTIONS

- Base-plate for installation–to reduce effective concrete thickness: NX1316014
- Lifting pads for ultra-low vehicles: minimum height 78 mm: NX1316006

REQUIRED


- Set of 14 fixing anchors – 140 mm: NX1316030

See separate catalogue for further accessories.

EQUIPMENT

a. Double telescopic lifring pad with large adjastability range (up to 4 ton) - 95-174 mm

b. Extensions: 50 mm and 100 mm



NEWS
E-CAR ACCESSORIES



8-48100075



8-48100073


NX1316051


NX1316064

DIMENSIONS





TECHNICAL DATA

Maximum capacity	4000 kg
Lift height	4237-4597 mm
Minimum useful height	95 mm
Maximum useful height	2073 mm
3-phase motor	400/230V - 3kW - 3Ph - 50/60Hz
1-phase motor	230V - 3kW - 1Ph - 50/60Hz

Photographs, features and technical data are not binding and may be modified without prior notice.

Cod. DPSC000868_07_2026

SICE AUTOMOTIVE EQUIPMENT
www.sice.it

SICE is a brand of NEXION group
Via Strada Statale 468, 9 - 42015 Correggio (RE)
Operational Headquorters: Via Modena, 34 - 42015 Correggio (RE)
+39 0522 693640 | sice@sice.it